
120
TRAFFIC MANAGEMENT SYSTEM
NODE AND CONTROL INFORMATION
100
110
110
110
110
110
110

Fig. 1

Fig. 2


NETWORK TOPOLOGY INFORMATION
NETWORK POLICY INFORMATION
250
200
240
TMS SIGNALING SYSTEM
TMS ALGORITHM
TMS STATISTICS REPOSITORY
220
230
NETWORK ELEMENT CONFIGURATIONS
EXPLICIT ALLOCATION REQUESTS
SERVICE LEVEL AGREEMENTS
TRAFFIC PREDICTIONS OR TRAFFIC STATISTICS
210
THE OPERATOR'S NETWORK

FIG. 3


NETWORK POLICY INFORMATION
NETWORK TOPOLOGY INFORMATION
TMS STATISTICS REPOSITORY
TMS ALGORITHM
TMS SIGNALING SYSTEM
TMS STATISTICS COLLECTION AND SIGNALING SERVER
TMS STATISTICS COLLECTION AND SIGNALING SERVER
TMS STATISTICS COLLECTION AND SIGNALING SERVER
R
R
R
R
R
R
R
R
R
300
301
302
303
304
305
306
310
320
330



Fig. 4

Exhibit 2010


START
T = 0
501
COMPUTE DEMAND MATRIX $D_{IN, OUT}$
502
ORDER NON-ZERO ELEMENTS OF $D_{IN, OUT}$ IN DESCENDING ORDER AND PLACE ON A STACK
503
ROUND = 0
504
FLOW F = POP (STACK OF ELEMENTS)
505
ROUND = ROUND + 1
506
COMPUTE COST OF PUTTING FLOW F ON EACH LINK
507
ASSEMBLE WEIGHT MATRIX W OF TOPOLOGY GRAPH
508
SEARCH FOR SHORTEST PATHS P BY RUNNING SEARCH ALGORITHM ON W FROM INGRESS TO EGRESS OF FLOW F
509
SAVEDCAPACITY(ROUND) = C
ALLOCATEDFLOW(ROUND) = F
RESULTINGPATH(ROUND) = P
510
COMPUTE RESIDUAL CAPACITY $C_{i,j}$ = CAPACITY - BANDWIDTH OF FLOW
511
LAST FLOW ELEMENT IN STACK ?
NO
YES
513
INCREMENT T ACCORDING TO WALL CLOCK
512
END OF TIME INTERVAL T >= DELTA T ?
NO
YES

Fig. 5



Fig. 6

Fig. 7



TMS STATISTICS REPOSITORY



Fig. 8

EDITED SHEET


TMS STATISTICS REPOSITORY
NETWORK POLICY INFORMATION
TMS ALGORITHM
950
NETWORK TOPOLOGY INFORMATION
940
900
RECONFIGURATION MODULE
910
STATE TRANSITION CHECKER
920
SIGNALING DISTRIBUTION MODULE
930
OPERATOR'S NETWORK
TMS SIGNALING SYSTEM

Fig. 9



Fig. 10

EXHIBIT 2050

METHOD AND SYSTEM FOR VALIDATING NETWORK TRANSFORMATION INSTRUCTIONS
INVENTORS: DAVID A. MALTZ ET AL.
Atty. Dkt. No.: 10767/8 Ser. No.: 09/771,493 Filed: 01/26/01



Fig. 11